



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of

GLENN et al.

Atty. Ref: 4057-32

Appln. No. 09/257,188

Group Art Unit: 1644

Filed: February 25, 1999

Examiner: G.R. Ewoldt

For: USE OF PENETRATION ENHANCERS AND BARRIER
DISRUPTION AGENTS TO ENHANCE THE
TRANSCUTANEOUS IMMUNE RESPONSE

RECEIVED

* * * * *
INFORMATION DISCLOSURE STATEMENT
UNDER 37 CFR § 1.97(d)

FEB 04 2003

TECH CENTER 1600/2900

January 31, 2003

Hon. Commissioner for Patents
Washington, D.C. 20231

Sir:

Further to the Information Disclosure Statement (IDS) of February 24, 2000,
attached are Forms PTO-1449 listing the enclosed documents.

The Official Fee required under 37 CFR § 1.97(d) is filed herewith. Should that
fee be missing or inadequate, please charge the deficiency to our Deposit Account No.
14-1140 referencing matter number 4057-32 for which purpose this paper is submitted
in duplicate.

This Information Disclosure Statement (IDS) is intended to be in full compliance
with the rules, but should the Examiner find any part of its required content to have been
omitted, prompt notice to that effect is earnestly solicited, along with additional time
under 37 CFR § 1.97(f), to enable Applicants to comply fully.


As provided by 37 CFR §§ 1.97(g) and (h), no inference should be made that this information and the listed references are prior art merely because they have been submitted for consideration. Furthermore, no representation is being made that a search has been conducted or that this statement encompasses all possible material information.

Consideration of the foregoing and enclosures, as well as the return of a copy of the Forms PTO-1449 with the Examiner's initials per MPEP § 609, are earnestly solicited. The Examiner is invited to contact the undersigned if further information is needed.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____


Gary R. Tanigawa
Reg. No. 43,180

1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100